



Binnenveld 17  
5462 GK Veghel, Nederland  
+31(0)413 355746  
info@equitrend.nl

## MaXuSS Thera



MaXuSS Thera

### Eigenschappen

#### Harmony for your horse

In colour therapy, colours are used to bring your horse into harmony. The basis of colour therapy is the horse's 'energy system', as recognised in Eastern medicine and many religions for centuries. This system is based on the existence of a number of energy fields in and around the horse.

Colours influence your horse's physical condition. They have a positive, beneficial effect on the energy system and make your horse more harmonious. The starting point of colour therapy is the horse's 'energy system', as recognised in Eastern medicine and religions for centuries.

Colours affect energy fields in and around the horse.

Blue has a calming effect and leads to deep relaxation. This colour has a positive effect on several types of pain and has a harmonising effect on metabolism and intestinal activity.

Green calms and brings peace and contentment. It relaxes the organs and stimulates detoxification of the body.

Yellow, the colour of the sun, makes one cheerful and gives new energy. This bright colour helps remove waste and negative particles from the body.

Red is the colour of the heart, lungs and muscles. It stimulates, activates and vitalises. Red acts as a diuretic and strengthens the immune system.

## Specificaties

| Colour                   | Wavelength (in nm)   |
|--------------------------|----------------------|
| Blue                     | 436 - 495            |
| Green                    | 495 - 566            |
| Yellow                   | 566 - 589            |
| Red                      | 627 - 780            |
| Technical specifications | MaXuSS Thera 230/400 |
| Lamps                    |                      |
| 100-watt IR              | 24 / 0               |

|                                |                                |
|--------------------------------|--------------------------------|
| 150 W IR                       | 0 / 9                          |
| 175 Watt IR                    |                                |
| 250 Watt IR                    | 0 / 15                         |
| Total IR power in Watts        | 2400 / 5100                    |
| Fan                            |                                |
| Number                         | 6 9                            |
| m3/h                           | 540 / 810                      |
| Automatic at approx. 30 C      | Standard                       |
| Connected load                 |                                |
| Connection voltage             | 1/3phase+N + PE 230/400V 50 Hz |
| Fuse with ... Ampere           | 16 A / 3*10 A                  |
| Power consumption Watt         | 3600 / 6560                    |
| Material and size              |                                |
| Modules                        | Heat-resistant plastic         |
| Top colour                     | Dark green                     |
| Bottom colour                  | Silver grey                    |
| Lamp fixture                   | Aluminium                      |
| Porcelain fitting              | Standard                       |
| Heat-resistant wiring 180      | Standard                       |
| Suspension                     | Steel                          |
| Dimensions LxWxH               | 240 x130 x 80cm                |
| Weight                         | 40 kg                          |
| Guidelines                     |                                |
| Approvals                      | CE                             |
| IP value                       | IP44                           |
| Shape manually adjustable      | Optional                       |
| Shape automatically adjustable | Standard                       |
| Suspension set                 | Not possible                   |

|                               |              |
|-------------------------------|--------------|
| Cable with plug               | Not possible |
| Recessed fluorescent lighting | Optional     |
| Electric lift installation    | Standard     |
| Control box                   | Standard     |

Van stal tot rijbaan, betrouwbare oplossingen voor elke paardenhouder

Wijzigingen  
voorbehouden