Binnenveld 17
5462 GK Veghel, Nederland
+31(0)413 355746
info@equitrend.nl



MaXuSS Thera

MaXuSS Thera

Harmony for your horse
In colour therapy, colours are used to bring your horse into harmony. The basis of colour therapy is the horse's 'energy system', as recognised in Eastern medicine and many religions for centuries. This system is based on the existence of a number of energy fields in and around the horse.

Colours influence your horse's physical condition. They have a positive, beneficial effect on the energy system and make your horse more harmonious. The starting point of colour therapy is the horse's 'energy system', as recognised in Eastern medicine and religions for centuries.

Colours affect energy fields in and around the horse.

Blue has a calming effect and leads to deep relaxation. This colour has a positive effect on several types of pain and has a harmonising effect on metabolism and intestinal activity.
Green calms and brings peace and contentment. It relaxes the organs and stimulates detoxification of the body.
Yellow, the colour of the sun, makes one cheerful and gives new energy. This bright colour helps remove waste and negative particles from the body.
Red is the colour of the heart, lungs and muscles. It stimulates, activates and vitalises. Red acts as a diuretic and strengthens the immune system.

Eigenschappen

Specificaties

Colour	Wavelength (in nm)
Blue	436 - 495
Green	495 - 566
Yellow	566 - 589
Red	627 - 780
Technical specifications	MaXuSS Thera 230/400
Lamps	
100-watt IR	24 / 0

150 W IR	0 / 9
175 Watt IR	
250 Watt IR	0 / 15
Total IR power in Watts	2400 / 5100
Fan	
Number	6 9
m3/h	540 / 810
Automatic at approx. 30 C	Standard
Connected load	
Connection voltage	1/3phase+N + PE 230/400V 50 Hz
Fuse with ... Ampere	16 A / 3*10 A
Power consumption Watt	3600 / 6560
Material and size	
Modules	Heat-resistant plastic
Top colour	Dark green
Bottom colour	Silver grey
Lamp fixture	Aluminium
Porcelain fitting	Standard
Heat-resistant wiring 180	Standard
Suspension	Steel
Dimensions LxWxH	240 x130 x 80cm
Weight	40 kg
Guidelines	
Approvals	CE
IP value	IP44
Shape manually adjustable	Optional
Shape automatically adjustable	Standard
Suspension set	Not possible

Cable with plug	Not possible
Recessed fluorescent lighting	Optional
Electric lift installation	Standard
Control box	Standard